



Port



Product description


Regular Locker



Product specification (mm)	Height	920		1370		1820	
	Width	900		900		900	
	Depth	450		450		450	
	Inner width	273	423	273	423	273	423

Features	1-Material	• The cabinet body is made of 18mm MFC board and is equipped with a 50mm adjustable steel base.
	2-Color	• The whole cabinet is standard in M001 Angel White. The edge banding is of same color as the cabinet • The standard color for the steel base is C101 Black Sand.
	3-Accessory	• The standard lock for the regular locker is a dial combination lock.
	Options	• For the whole cabinet, the colors available in the CMF* List can be chosen separately. • Optional smart combination lock.

Smart Locker



Product specification (mm)	Height	1820	1820	1820	1820
	Width	900	900	450	2700
	Depth	450	450	450	450
	Inner width	420	420	420	420

Features	1-Material	• The smart locker is divided into main and auxiliary units, equipped with a 50mm adjustable steel base. The cabinet bodies are made of 18mm MFC boards, and the middle panels are 25mm thick.
	2-Color	• The whole cabinet is standard in M001 Angel White. The edge banding is of same color as the cabinet • The standard color for the steel base is C101 Black Sand.
	3-Configuration	• By the connection modes, the main lockers and auxiliary lockers are divided into left-side type, middle type and right-side type cabinets • The main locker contains seven cabinets and one intelligent panel controller, which allows users to complete deposit of articles through face recognition. • The auxiliary cabinets are divided into auxiliary cabinet-wide (including 8 cabinets); auxiliary cabinet-narrow (including four cabinets) • In the combination, the auxiliary cabinet-narrow module is only suitable for space size assortment. So you can only select at most one group in the whole combination, and it can only be spliced at the ends of the combination. • When placing an order, the combination must include at least one main cabinet and two auxiliary cabinets. If you have additional needs, you can choose the quantity for splicing as desired • When the number of cabinet groups in the combination exceeds 16, and the combination contains only one main cabinet, an additional main cabinet is required to control the auxiliary cabinets • Each cabinet top includes a maintenance slot, and the standard lock is a central drawer lock, which uses a universal key.
	4-Power supply	• Each main cabinet comes standard with a power supply (transformer). One power supply (three-prong) can support up to five cabinet groups. If the number of cabinet groups in the combination exceeds five, an additional power supply must be purchased.
Options		• For the whole cabinet, the colors available in the CMF* List can be chosen separately.

Customization

Available

- Cabinet width/depth/height
- Cabinet color

NOT Available

- Visual design and shape

Note

For all relevant customization, there may exist requirements on the minimum order quantity (MOQ), extra fees for customization and long delivery time. Please consult the Factory's Operation Department for the details before placing an order.

____ @ **WORK**

